EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	1	((one$3touch near3 key$9) same map$5 same table) and ((replace$5 or change$5 or alter$9 or substitut$9) near3 (keyboard or key$3map or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:30
S4	12	((one$3touch near3 key$9) same table) and ((replace$5 or change$5 or alter$9 or substitut$9) near3 (keyboard or key$3map or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:53
S5	1	((one$3touch near3 key$9) same table) and ((replace$5 or change$5 or alter$9 or substitut$9) near3 (keyboard or key$3map))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:53
S6	1491	((keyboard) same table) and ((replace$5 or change$5 or alter$9 or substitut$9) near3 (keyboard or key$3map))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:39
S7	545	((keyboard) same (select$5 or choos$5) same table) and ((replace$5 or change$5 or alter$9 or substitut$9) near3 (keyboard or key$3map))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:54
S8	6	((keyboard) same (select$5 or choos$5) same ((one$3touch) or (one adj2 touch)) same table) and ((replace$5 or change$5 or alter$9 or substitut$9) near3 (keyboard or key$3map))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:59
S9	58	((keyboard) same (select$5 or choos$5) same ((one$3touch) or (one adj2 touch))) and ((replace$5 or change$5 or configur$5 or alter$9 or substitut$9) near3 (keyboard))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 17:09
S10	8	S9 and ((one$3touch or (one adj2 touch)) same table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 17:01
S11	8	((keyboard) same (layout or arrangement) same (select$5 or choos$5) same ((one$3touch) or (one adj2 touch))) and ((replace$5 or change$5 or configur$5 or alter$9 or substitut$9) near3 (keyboard))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 17:09

S12	0	"20010035858".pn. and (print$5 with keypad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:31
S13	0	"20010035858".pn. and (print$5 same keypad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:31
S14	0	"20010035858".pn. and (output$5 same keypad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:35
S15	1	"20010035858".pn. and (layout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:33
S16	1	"20010035858".pn. and (print$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:34
S17	0	"20010035858".pn. and (label)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:34
S18	0	"20010035858".pn. and (label$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:34
S19	1	"20010035858".pn. and (keypad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:37
S20	14304	((replace$5 or change$5 or alter$9 or substitut$9 or configur$5 or reconfigur$5) near3 (keyboard or key$3map or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:03
S21	1232	S20 and ((user or operator) near4 (select$5 or choos$5) near5 (keyboard or key$3map or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:39

EAST Search History

S22	38	S21 and ((print$5 or output$5 or record$5 or generat$5 or produc$5) near4 (label$5 or cover or layout) near5 (keyboard or key$3map or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:41
S23	43	S21 and ((print$5 or output$5 or creat$5 or record$5 or generat$5 or produc$5) near4 (label$5 or cover or layout) near5 (keyboard or key$3map or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:40
S24	3	"3879722".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:43
S25	1279	S20 and ((user or operator) near4 (select$5 or choos$5) near5 (keyboard or key$3map or keypad or layout))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:39
S26	26	S21 and ((print$5 or output$5 or creat$5 or record$5 or generat$5 or produc$5) near4 (layout) near5 (keyboard or key$3map or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:42
S27	2	"5880712".pn. and ((print$5 or imprint$5) same key$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:45
S28	22	400/89.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:45
S29	399	(((replace$5 or change$5 or alter$9 or substitut$9 or configur$5 or reconfigur$5) near3 (keyboard or key$3map or keypad)) same (print$5 near5 (keyboard or key$3map or keypad or layout)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:04
S30	30	(((replace$5 or change$5 or alter$9 or substitut$9 or configur$5 or reconfigur$5) near3 (keyboard or key$3map or keypad)) same ((select$5 or choos$5) near5 (keyboard or key$3map or keypad or layout)) same (print$5 near5 (keyboard or key$3map or keypad or layout)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:17

EAST Search History

S31	2	"6050825".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:11
S32	140	(((replace$5 or change$5 or alter$9 or substitut$9 or configur$5 or reconfigur$5) near3 (keyboard. or key$3map or keypad)) and (((select$5 or choos$5) near5 (keyboard or key$3map or keypad or layout)) same (print$5 near5 (keyboard or key$3map or keypad or layout))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:17
S33	452	(((replace$5 or change$5 or alter$9 or substitut$9 or configur$5 or reconfigur$5) near3 (keyboard or key$3map or keypad)) and (((select$5 or choos$5) near5 (keyboard or key$3map or keypad or layout)) same ((record$5 or print$5 or emboss$5 or imprint$5 or output$5) near5 (keyboard or key$3map or keypad or layout))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:20
S34	434	(((replace$5 or change$5 or alter$9 or substitut$9 or configur$5 or reconfigur$5) near3 (keyboard or key$3map or keypad)) and (((select$5 or choos$5) near5 (keyboard or key$3map or keypad)) same ((record$5 or print$5 or emboss$5 or imprint$5 or output$5) near5 (keyboard or key$3map or keypad or layout))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:25
S35	369	(((replace$5 or change$5 or alter$9 or substitut$9 or configur$5 or reconfigur$5) near3 (keyboard)) and (((select$5 or choos$5) near5 (keyboard or key$3map or keypad)) same ((record$5 or print$5 or emboss$5 or imprint$5 or output$5) near5 (keyboard or key$3map or keypad or layout))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:25
S36	355	(((replace$5 or change$5 or alter$9 or substitut$9 or configur$5 or reconfigur$5) near3 (keyboard)) and (((select$5 or choos$5) near5 (keyboard)) same ((record$5 or print$5 or emboss$5 or imprint$5 or output$5) near5 (keyboard or layout))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:32

S37	31	(((replace$5 or change$5 or alter$9 or substitut$9 or configur$5 or reconfigur$5) near3 (keyboard) same layout) and (((select$5 or choos$5) near5 (keyboard)) same ((record$5 or print$5 or emboss$5 or imprint$5 or output$5) near5 (keyboard or layout))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:48
S38	0	((replace$5 or change$5 or alter$9 or substitut$9 or configur$5 or reconfigur$5) near3 (keyboard or keypad) same layout) and (((select$5 or choos$5) near5 (keyboard or keypad)) same ((record$5 or print$5) near5 (keyboard or keypad or layout) near3 label$5)) and (table with (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:53
S39	0	((replace$5 or change$5 or alter$9 or substitut$9 or configur$5 or reconfigur$5) near3 (keyboard or keypad) same layout) and (((select$5 or choos$5) near5 (keyboard or keypad)) same ((record$5 or print$5) near5 (keyboard or keypad or layout) near3 label$5)) and ((lookup or lut or table) same (stor$5 or memory) same (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:54
S40	2	((replace$5 or change$5 or alter$9 or substitut$9 or configur$5 or reconfigur$5) near3 (keyboard or keypad) same layout) and (((select$5 or choos$5) near5 (keyboard or keypad)) and ((record$5 or print$5) near5 (keyboard or keypad or layout) same label$5)) and ((lookup or lut or table) same (stor$5 or memory) same (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:39
S41	2	"5387042".pn. and ((select$5 or choos$5) with (key$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:46
S42	1	"5387042".pn. and (print$5 with key$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:47
S43	1	"5387042".pn. and (print$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:47

S44	2	"5387042".pn. and (label$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:47
S45	2	"5387042".pn. and (label$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:51
S46	2	"5387042".pn. and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:35
S47	2	"5222154".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:35
S48	4	(keyboard near3 (template or layout or label) near3 (print$5 or record$5)) same ((select$5 or choos$5) near3 (keyboard) near3 (layout or configuration or format))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 15:27
S49	6	(keyboard near3 (template or layout or label) near3 (print$5 or record$5)) and ((select$5 or choos$5) near3 (keyboard) near3 (layout or configuration or format))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 15:28
S50	1	"5387042".pn. and numeric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 15:29
S51	2	"5387042".pn. and alphanumeric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 15:29
S52	1	"5387042".pn. and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:48
S53	2	"5387042".pn. and (mode adj2 selec$5 same keyboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:27

EAST Search History

S54	1	"5387042".pn. and (mode adj2 selec$5 adj2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:26
S55	1	"5387042".pn. and (selec$5 near4 keyboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:27
S56	1	"5387042".pn. and table same select$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:32
S57	1	"5387042".pn. and (print$5 same template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:34
S58	2	"5387042".pn. and label$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:34
S59	2	"5387042".pn. and label$5 same select$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:39
S60	2	"5387042".pn. and template near4 select$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:45
S61	2	"5253940".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:45
S62	9	("5253940").URPN.	USPAT	OR	ON	2006/03/05 10:45
S63	4981522	"5387042".pn. and alphanumeric and numeric or number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:49
S64	2	"5387042".pn. and (alphanumeric or numeric or number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:49